

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L20	16627	707/3 or 707/10 or 707/2 or 707/4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:39
L21	145	20 and (drop\$ same tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:39
L22	33	21 and (search near2 query)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:56
L23	10	22 and (query near2 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:40
L24	174493	tree or directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:42
L25	14184	24 and (user with selection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:42
L26	190	25 and (query near2 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:43
L27	15	26 and (query near2 (indicator or icon or box))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:43
L28	9	27 and (select\$4 with attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:55

L29	322	(check\$ with box with (attribute\$ or property))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:56
L30	28	29 and (search near2 query)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:03
L31	174493	tree or directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:05
L32	134	31 and (query near2 template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:03
L33	21	32 and (check\$ with box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:04
L34	2	32 and ((check\$ with box) same (attribute or propert\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:04
L35	4619	31 and (search\$ with query)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:05
L36	726	35 and (query with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:05
L37	28	36 and ((search\$ near2 query) same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:10
L38	121	(creat\$ or build\$) same (search\$ with query) same attribute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:39

L39	62	(creat\$ or build\$) same (search\$ with query) same attribute	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:44
L40	93	(drop\$ with object) and (creat\$ with query)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:45
L41	158	(drop\$ with object) and (creat\$ with query)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:45
L42	44	(drop\$ with object) and ((creat\$ with query) same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:52
L43	160	707/102 and ((select\$ same attribute) same search\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:53
L44	0	43 and (drop\$ same object) and (query near2 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:54
L45	65	(drop\$ same object) and (query near2 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:54
L46	4	(drop\$ same object) and ((query near2 function) same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:54
L47	45	((query near2 function) same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:55
L48	1177	(search with query) and (search\$ same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:56

L49	293	48 and (tree same (object or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:57
L50	119	49 and (display\$ same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:58
L51	61	50 and drop\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 15:28
L52	0	((drap same drop) same object) and (search same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 15:29
L53	0	((drap same drop) same menu) and (search same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 15:29
L54	0	((drap-drop) same menu) and (search same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 15:29
L55	217	(drop same menu) and (search same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 15:30
L56	120	55 and (search same query)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 15:30
L57	54	56 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:24
L58	0	(query with template) and (drap\$ same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:25

L59	34	(query with template) and (drop\$ same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:53
L60	1776	(GUI with query) or (graphical with query)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:53
L61	56	60 and (drop\$ with object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 17:24
L62	169	(drop\$ with object) and (search\$ same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 17:44
L63	52	(graphic near2 query)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 17:44
L64	13	63 and (drop\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 17:49
L65	0	(drap-and-drop) and (graphical with query)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 17:49
L66	0	(drap-and-drop) and (graphic\$ with query)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 17:49
L67	9	drop\$ same (graphic with query)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 17:51
L68	28465	drop\$ with (file or object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 17:52

L69	141	68 and (search near2 query)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 17:52
L70	54	69 and (search\$ same attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 18:02
L71	2	"5619688".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 18:04
L72	2	"6490581".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 18:04

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	file adj extension adj protect\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 15:43
L2	2366	file adj extension	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 15:44
L3	2	2 with lock	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 15:44
L4	26	2 with modif\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 16:03
L5	121	(graphical adj query)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 16:08
L6	12	5 and anick	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 16:04
L7	23	anick.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 16:19
L8	324	image adj query	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 16:21
L9	0	query adj by adj example	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 16:20
L10	170	content adj based adj image adj retrieval	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/08 16:21

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"5579471".pn. and bus	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 16:08
L2	1	"5579471".pn. and input	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 15:55
L3	6058345	computer system	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 15:55
L4	12670	3 and (bus same (input near2 device))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 15:57
L5	530	vora.in.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 15:58
L6	5	vora.in. and 707/10	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 15:58
L7	1	"5579471".pn. and computer	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 16:57
L8	6463	distributed near2 environment	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:06
L9	52	8 and (image with retrieval)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:02

L10	0	9 and (graphic with query)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:00
L11	16	9 and query	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:07
L12	27	8 and (graphic with query)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:10
L13	20	8 and (graphic with query) and (search\$ same image)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:00
L14	7416	distribut\$3 near2 environment	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:01
L15	27	14 and (graphic with query)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:08
L16	0	15 and (image with retrieval)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:02
L17	46	(drop\$ same metadata)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:04
L18	6	17 and 8	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:05
L19	0	(drap-and-drop) and 8	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:13

L20	0	(drap same drop) and 8	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:06
L21	2976	drap\$ with object	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:06
L22	0	21 and 8	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:06
L23	0	21 and 14	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:06
L24	0	"5579471".pn. and remote	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:09
L25	0	"5579471".pn. and server	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:09
L26	240	(graphic with query)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:10
L27	72	26 and drop\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:10
L28	34	27 and server	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:10
L29	0	27 and server and enviroment	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:11

L30	28	27 and server and environment	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:11
L31	1	27 and server and (distributed with environment)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:13
L32	1	(drap-and-drop)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:14
L33	1	(drap-and-drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:14
L34	199	14 and (search\$ same image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:16
L35	1	34 and (query same template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:18
L36	177	drop\$ same metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:19
L37	123	36 and internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:19
L38	25	36 and internet and (distributed with environment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:21

L39	0	(query same drap same drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:22
L40	0	707/3 and (query same drap same drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:22
L41	0	707/3 and (query same drap same drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:22
L42	0	707/3 and (query with drap with drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:22
L43	0	707/4 and (query with drap with drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:23
L44	0	707/4 and (query with drap and drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:23
L45	0	707/4 and drap and drop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:23
L46	523	707/4 and drop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:23

L47	76	46 and www	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:23
L48	65	46 and www and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:25
L49	39	46 and www and query and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:46
L50	6	IBM and drap and drop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:48
L51	4915	Lowe.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:48
L52	227	Lowe.in.	US-PGPUB	OR	OFF	2004/12/10 17:48
L53	5	Lowe.in. and graphic	US-PGPUB	OR	OFF	2004/12/10 17:49
L54	2731	IBM and drop	US-PGPUB	OR	OFF	2004/12/10 17:50
L55	3	54 and @pd<"20010510"	US-PGPUB	OR	OFF	2004/12/10 17:51
L56	3	54 and @pd<="20010510"	US-PGPUB	OR	OFF	2004/12/10 17:52
L57	2	"5579471".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 17:59
L58	45	(query near2 template).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:13

L59	632	GUI with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:14
L60	88	59 and (distributed with environment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:15
L61	5	60 and ((search\$ or retriev\$) with image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:17
L62	0	60/177,044	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:19
L63	0	"09765270"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:19
L64	6876	(image near2 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:21
L65	25654	(image same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:22
L66	4218	(image same database) same search\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:23

L67	101	retrieving same similar same picture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:23
L68	1458	query near2 function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:24
L69	519	68 and (search\$ with query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:24
L70	159	69 and drop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:25
L71	57	69 and drop\$3 and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:25
L72	34	69 and drop\$3 and image and distributed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:31
L73	238	czerwinski.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:27
L74	1	czerwinski.in. and "707"/\$.ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:27

L75	646	715/700	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:32
L76	59	75 and 65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:32
L77	2	75 and 65 and 68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 18:32

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

 Print Format

 Your search matched **9** of **1099723** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Object oriented interface to Matlab

Levy, J.B.;

Advances in Computer-Aided Control System Design (Digest No: 1996/061), IEE Colloquium on , 14 March 1996

Pages:9/1 - 9/3

[\[Abstract\]](#)
[\[PDF Full-Text \(188 KB\)\]](#)
IEE CNF

2 Design-time assembly of runtime containment components

Lorenz, D.H.; Petkovic, P.;

Technology of Object-Oriented Languages and Systems, 2000. TOOLS 34. Proceedings. 34th International Conference on , 30 July-4 Aug. 2000

Pages:195 - 204

[\[Abstract\]](#)
[\[PDF Full-Text \(544 KB\)\]](#)
IEEE CNF

3 A novel approach to the design and implementation of a power electronics simulation software package

Path, D.; Chandrasekaran, A.;

System Theory, 1997., Proceedings of the Twenty-Ninth Southeastern Symposium on , 9-11 March 1997

Pages:473 - 476

[\[Abstract\]](#)
[\[PDF Full-Text \(328 KB\)\]](#)
IEEE CNF

4 Enveloping users and computers in a collaborative 3D augmented reality

Butz, A.; Hollerer, T.; Feiner, S.; MacIntyre, B.; Beshers, C.;

Augmented Reality, 1999. (IWAR '99) Proceedings. 2nd IEEE and ACM International Workshop on , 20-21 Oct. 1999

Pages:35 - 44

[\[Abstract\]](#)
[\[PDF Full-Text \(1732 KB\)\]](#)
IEEE CNF

5 JavaBean-based simulation with a decision making bean

Fukunari, M.; Yu-Liang Chi; Wolfe, P.M.;

Simulation Conference Proceedings, 1998. Winter , Volume: 2 , 13-16 Dec. 1998

Pages:1699 - 1702 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(556 KB\)\]](#) [IEEE CNF](#)

6 Object works interaction model-integrating multiple views

Kubalski, W.; Field, R.; Chou, T.; Adar, M.;

Software Engineering Environments Conference, 1993. Proceedings , 7-9 July 1993

Pages:176 - 182

[\[Abstract\]](#) [\[PDF Full-Text \(496 KB\)\]](#) [IEEE CNF](#)

7 A framework for component-based distributed applications design. The CODE: Component Oriented Distributed Environment

Grigorasi, D.; Mihaila, S.;

Parallel Computing in Electrical Engineering, 2000. PARELEC 2000. Proceedings. International Conference on , 27-30 Aug. 2000

Pages:8 - 12

[\[Abstract\]](#) [\[PDF Full-Text \(376 KB\)\]](#) [IEEE CNF](#)

8 Generation of interactive visual environments for direct manipulation of database content

Dangberg, A.; Mueller, W.;

Visual Languages, 1999. Proceedings. 1999 IEEE Symposium on , 13-16 Sept. 1999

Pages:178 - 179

[\[Abstract\]](#) [\[PDF Full-Text \(140 KB\)\]](#) [IEEE CNF](#)

9 Innovative concepts for configuring shared workspaces through visual programming

Duecker, M.; Mueller, W.; Rubart, J.;

System Sciences, 1999. HICSS-32. Proceedings of the 32nd Annual Hawaii International Conference on , Volume: Track8 , 5-8 Jan. 1999

Pages:9 pp.

[\[Abstract\]](#) [\[PDF Full-Text \(240 KB\)\]](#) [IEEE CNF](#)
